




Print onto 250gsm or heavier cardstock for best results. Score fold lines first using a craft knife or empty ball point pen. Check for instructions before building. 






Print onto 250gsm or heavier cardstock for best results. Score fold lines first using a craft knife or empty ball point pen. Check for instructions before building.

4) Glue 🗀









Recommended

Print onto 250gsm or heavier cardstock for best results.


Score fold lines first using a craft knife or empty ball point pen.

Check for instructions before building.





















Recommended

Print onto 250gsm or heavier cardstock for best results.

Score fold lines first using a craft knife or empty ball point pen.

Check for instructions before building.





Basic Instructions

Printing You can print all ENKL products on conventional printer paper but end results may be less stable than those printed onto card. We recommend printing these ENKL products on 250gsm cardstock for best results. Printing onto thicker card may make the models more difficult to build.

Cutting Cut along the solid black outlines. You can use either scissors or a craft knife to cut out the model. ENKL recommends using scissors for curved areas and a craft knife for more intricate outlines. Designs can mostly be built without a craft knife unless requiring one is explicitly mentioned.

Folding Fold along the dotted lines, following the key below to fold up, or down. For best results we recommend scoring along the lines before folding by lightly pressing on them with either a craft knife or empty ballpoint pen.

Hill Fold (Fold down)

Glue the tabs in the order that they're numbered. Every tab consists of white space with a number or letter inside like the example below. For best results use a non-liquid glue that dries quickly and apply it evenly to the entire tab.

Glue 2


Parts


Gluing

For models with numerous parts you will find labels on the page to help with the construction. Each part has a label on the page marked "Part X" as well as a smaller label on the parts themselves. When parts need to be glued together the tabs connecting the two parts will be labelled with the corresponding part letter.


Desk Todie Instructions


- 1) Cut out the model's parts using the solid black outline.
- 2) Following the key at the bottom of the page, fold and glue together parts A, B and C.
- 3) Glue down tabs 1 and 2 on part A folding the exposed flap upwards before gluing tab 3. Glue parts A and B together using tabs 4 and 5 on part B.







4) Slide parts D and E into the now joint parts A and B as shown.







5) Slide part F into the now joint parts A and B as shown.






6) Slide part G into the now joint parts A and B as shown.





7) Curve around part C and Glue down tab 1. Attach part C to the rest of the model using tabs X and Y as shown.





8) Put crayons or pens into the holes in the hedgehogs back.

